POTTORFF°

Application

The ECV-445 offers exceptional protection against wind-driven rain under the most severe conditions and is ideally suited for high wind areas or applications that are sensitive to wind-driven rain penetration. The ECV-445 incorporates vertical blades and is available in a wide array of anodized and painted finishes including custom color matching.

Standard Construction

Material: Mill finish 6063-T5 extruded aluminum.

Frame: 4" deep x 0.081" thick (102 x 2) channel.

Blades: 45° x 0.060" (1.5) thick vertical style.

Screen: 1/2" x 0.063" (12.7 x 1.6) expanded and flattened

aluminum.

Sill Flashing: Closed end.

Minimum Size: 8" x 8" (203 x 203)

Maximum Size: Single section: 60" x 120" (1524 x 3048)

120" x 60" (3048 x 1524)

Multiple section: Unlimited

Options

- ☐ Factory finish:
 - ☐ High Performance Fluoropolymer 100% resin Newlar®/
 - 70% resin Kynar®
 - ☐ Baked Enamel
 - ☐ Clear or Color Anodized, Class 1
 - ☐ Prime Coat
- ☐ Flange frame:
 - ☐ 1¹/₂" (38) flange frame
 - ☐ Custom-size flange
 - ☐ Stucco flange
 - ☐ Glazing frame
- ☐ Welded construction
- ☐ Alternate bird or insect screens
- ☐ Insulated or non-insulated blank-off panels
- ☐ Filter racks
- ☐ Hinged frame
- ☐ Head flashing
- ☐ Installation hardware:
 - ☐ Clip angles
 - □ Continuous angles
- ☐ Burglar bars
- ☐ Frame closure

Ratings


Free Area: [48" x 48" (1219 x 1219) unit]: 6.9 ft2 (0.64 m2) 42.9%


Performance @ Beginning Point of Water Penetration

Free Area Velocity: 1,250 fpm (6.35 m/s) Air Volume Delivered: 8,575 cfm (4.05 m3/s) **Pressure Loss:** 0.30 in.wg. (75 Pa)

Velocity @ 0.15 in.wg. Pressure Loss: 872 fpm (4.43 m/s)

Design Load: 30 psf





Horizontal Mullion



Flange Frame

Certified Ratings:

Pottorff certifies that the model ECV-445 shown herein is licensed to bear the AMCA seal. The ratings shown are based on tests and procedures performed in accordance with AMCA Publication 511 and comply with the requirements of the AMCA Certified Ratings Program. The AMCA Certified Ratings seal applies to water penetration and air performance ratings.

Information is subject to change without notice or obligation.

NOTE: Dimensions in parentheses () are millimeters.

Free Area (ft²)

Width (Inches)


		8	12	18	24	30	36	42	48	54	60	66	72	78	84	90	96	102	108	114	120
s)	8	0.04	0.10	0.2	0.3	0.4	0.4	0.5	0.6	0.7	0.8	0.8	0.9	1.0	1.1	1.2	1.2	1.3	1.4	1.5	1.6
	12	0.1	0.2	0.4	0.6	0.7	0.9	1.0	1.2	1.4	1.6	1.7	1.9	2.1	2.2	2.4	2.5	2.7	2.9	3.1	3.2
	18	0.1	0.4	0.7	1.0	1.3	1.5	1.8	2.2	2.5	2.8	3.0	3.3	3.6	4.0	4.3	4.5	4.8	5.1	5.4	5.8
	24	0.2	0.5	1.0	1.4	1.9	2.2	2.6	3.1	3.6	4.0	4.3	4.8	5.2	5.7	6.1	6.5	6.9	7.4	7.8	8.3
	30	0.3	0.7	1.3	1.8	2.4	2.9	3.5	4.0	4.6	5.2	5.6	6.2	6.8	7.4	8.0	8.4	9.0	9.6	10.2	10.8
	36	0.3	8.0	1.5	2.3	3.0	3.5	4.3	5.0	5.7	6.4	7.0	7.7	8.4	9.1	9.9	10.4	11.1	11.9	12.6	13.3
	42	0.4	1.0	1.8	2.7	3.6	4.2	5.1	5.9	6.8	7.7	8.3	9.1	10.0	10.9	11.7	12.4	13.2	14.1	15.0	15.8
	48	0.5	1.1	2.1	3.1	4.1	4.9	5.9	6.9	7.9	8.9	9.6	10.6	11.6	12.6	13.6	14.3	15.3	16.3	17.3	18.3
	54	0.5	1.3	2.4	3.6	4.7	5.5	6.7	7.8	8.9	10.1	10.9	12.1	13.2	14.3	15.5	16.3	17.4	18.6	19.7	20.8
hes	60	0.6	1.4	2.7	4.0	5.3	6.2	7.5	8.7	10.0	11.3	12.2	13.5	14.8	16.1	17.3	18.3	19.5	20.8	22.1	23.4
(Inche	66	0.7	1.6	3.0	4.4	5.8	6.9	8.3	9.7	11.1	12.5	13.5	15.0	16.4	17.8	19.2	20.2	21.6	23.1	24.5	25.9
į	72	0.7	1.7	3.3	4.8	6.4	7.5	9.1	10.6	12.2	13.7	14.9	16.4	18.0	19.5	21.1	22.2	23.7	25.3	26.8	28.4
leight	78	0.8	1.9	3.6	5.3	7.0	8.2	9.9	11.6	13.3	14.9	16.2	17.9	19.6	21.2	22.9	24.2	25.8	27.5	29.2	30.9
Ì	84	0.8	2.1	3.9	5.7	7.5	8.9	10.7	12.5	14.3	16.2	17.5	19.3	21.1	23.0	24.8	26.1	27.9	29.8	31.6	33.4
	90	0.9	2.2	4.2	6.1	8.1	9.5	11.5	13.5	15.4	17.4	18.8	20.8	22.7	24.7	26.7	28.1	30.0	32.0	34.0	35.9
	96	1.0	2.4	4.5	6.6	8.7	10.2	12.3	14.4	16.5	18.6	20.1	22.2	24.3	26.4	28.5	30.1	32.2	34.3	36.4	38.5
	102	1.0	2.5	4.8	7.0	9.2	10.9	13.1	15.3	17.6	19.8	21.4	23.7	25.9	28.2	30.4	32.0	34.3	36.5	38.7	41.0
	108	1.1	2.7	5.1	7.4	9.8	11.5	13.9	16.3	18.7	21.0	22.8	25.1	27.5	29.9	32.3	34.0	36.4	38.7	41.1	43.5
	114	1.2	2.8	5.3	7.9	10.4	12.2	14.7	17.2	19.7	22.2	24.1	26.6	29.1	31.6	34.1	35.9	38.5	41.0	43.5	46.0
	120	1.2	3.0	5.6	8.3	10.9	12.9	15.5	18.2	20.8	23.5	25.4	28.0	30.7	33.3	36.0	37.9	40.6	43.2	45.9	48.5



Certified Ratings:

Pottorff certifies that the model ECV-445 shown herein is licensed to bear the AMCA seal. The ratings shown are based on tests and procedures performed in accordance with AMCA Publication 511 and comply with the requirements of the AMCA Certified Ratings Program. The AMCA Certified Ratings seal applies to water penetration and air performance ratings.

Pressure Loss



Free Area Velocity (fpm)

Louver Test Size = 48" x 48" (1219 x 1219)

Pressure loss tested in accordance with Figure 5.5 of AMCA Standard 500-L.

Selection Criteria

Follow the steps listed below to calculate the louver size needed to satisfy the required air volume while minimizing the adverse effects of water penetration and pressure loss.

- Determine the Free Area Velocity (FAV) at the maximum allowable pressure loss using the Pressure Loss chart to the left. While job conditions vary, typically, the maximum allowable pressure loss should not exceed 0.15 in.wg., and the FAV for 0.15 in.wg. pressure loss is listed on the front page of this sheet.
- 2. <u>Intake Applications</u> If the FAV at the Beginning Point of Water Penetration (shown below) is less than the FAV from step 1, then use the FAV at the Beginning Point of Water Penetration in step 3, otherwise use the FAV from step 1.

Exhaust Applications Use the FAV from step 1 in step 3.

3. Calculate the total louver square footage required using the following equation.



4. Using the Free Area chart above, select a louver width and height that yields a free area ft² greater than or equal to the required louver size calculated in step 3.

Water Penetration Beginning Point of Water Penetration = 1250 fpm

Wind-Driven Rain

Effectiveness

1 to 0.99

0.989 to 0.95

0.949 to 0.80

Below 0.8


Class

Α

В

C

D



Wind Driven Rain Performance - AMCA 500-L Wind Driven Rain Test

Test size is 393/8" × 393/8" core area.

Model	Wind Velocity	Rainfall	Airflow	Core Velocity	Effectiveness Ratio	Wind-Driven Rain Class ₂	Discharge Class ₃	
ECV-445	29 mph	3 in/hr	7343 cfm	682 fpm	99.5%	A	3	
LOV-443	50 mph	8 in/hr	4350 cfm	404 fpm	99.4%	A	3	

NOTES

- 1. Core area is the open area of the louver face (face area less louver frames).
- 2. Wind Driven Rain Penetration Classes (right).
- 3. Discharge loss coefficient is calculated by dividing the louver's actual airflow rate by the theoretical airflow rate for an unobstructed opening. The higher the coefficient, the lower the resistance to airflow.

Information is subject to change without notice or obligation.

NOTE: Dimensions in parentheses () are millimeters.

Class

2

3

Discharge Loss₃

Coefficient

0.4 to 1.000

0.3 to 0.399

0.2 to 0.299

0.0 to 0.199