The EFD-635 drainable blade louver is designed to prevent water penetration in non-wind-driven rain applications by collecting water in frame and blade gutters and channeling it into downspouts and away from airflow paths. The EFD-635 is available in a wide array of anodized and painted finishes including custom color matching.

POTTORFF®

Standard Construction

Material: Mill finish 6063-T5 extruded aluminum. Frame: 6" deep \times 0.081" thick (152 \times 2) channel. Blades: 35° × 0.081" thick (2) drainable style.

Screen: 1/2" \times 0.063" (12.7 \times 1.6) expanded and flattened

aluminum.

Minimum Size: $4.5" \times 8" (114 \times 203)$

Maximum Size: Single section: 60" x 120" (1524 x 3048) 120" × 60" (3048 × 1524)

Multiple section: Unlimited

Shipping Weight (Approximate): 5.1 lbs/ft² (24.9 kg/m²)

Options

- ☐ Factory finish:
 - ☐ High Performance Fluoropolymer 100% resin Newlar®/ 70% resin Kynar®
 - ☐ Baked Enamel
 - ☐ Clear or Color Anodized, Class 1
 - ☐ Prime Coat
- ☐ Hidden vertical mullion for continuous blade appearance.
- ☐ Flange frame:
 - \square 1 $^{1}/_{2}$ " (38) flange frame
 - ☐ Custom-size flange
 - ☐ Stucco flange
 - \square 1" \times $^{3}/_{4}$ " (25 x 19) glazing frame
- ☐ Welded construction.
- ☐ Alternate bird or insect screens:
 - ☐ Standard mount ☐ Removable
- ☐ Insulated or non-insulated blank-off panels.
- ☐ Filter racks.
- ☐ Hinged frame.
- ☐ Head and/or sill flashing.
- ☐ Installation hardware:
 - ☐ Clip angles ☐ Continous angles
- ☐ Burglar bars:
 - ☐ Shipped loose ☐ Shipped mounted
- ☐ Frame closure.

WATER

Certified Ratings:

Pottorff certifies that the model EFD-635 shown herein is licensed to bear the AMCA seal. The ratings shown are based on test and procedures performed in accordance with AMCA Publication 511 and comply with the requirements of the AMCA Certified Ratings Program. The AMCA Certified Ratings seal applies to air performance and water penetration ratings.

Ratings

Free Area: $[48" \times 48" (1219 \times 1219) \text{ unit}]$: 9.7 ft² (0.90 m²)


60.7%

Performance @ Beginning Point of Water Penetration

Free Area Velocity: 1250 fpm (6.35 m/s) Air Volume Delivered: 12,138 cfm (5.72 m³/s) Pressure Loss: 0.20 in.wg. (50 Pa)

Velocity @ 0.15 in.wg. Pressure Loss: 1099 fpm (5.58 m/s)


Std. Design Load: 30 psf




Model EFD-635 (standard)
*Louver dimensions furnished approximately 1/2" (13) undersize.

Vertical Section [†]Screen adds approximately 3/16" (5) to louver depth.

Screen¹





1-1/2" (38)

Flange Frame

NOTE: Dimensions in parentheses () are millimeters.

Information is subject to change without notice or obligation.


		4.5	12	18	24	30	36	42	48	54	60	66	72	78	84	90	96	102	108	114	120
	8	0.05	0.19	0.3	0.4	0.5	0.7	0.8	0.9	1.0	1.1	1.2	1.3	1.5	1.6	1.7	1.8	1.9	2.0	2.1	2.3
	12	0.1	0.3	0.5	0.7	0.9	1.0	1.2	1.4	1.6	1.8	2.0	2.1	2.3	2.5	2.7	2.9	3.1	3.2	3.4	3.6
	18	0.1	0.6	0.9	1.3	1.7	2.0	2.4	2.7	3.1	3.4	3.8	4.2	4.5	4.9	5.2	5.6	5.9	6.3	6.6	7.0
	24	0.2	0.9	1.5	2.0	2.5	3.1	3.6	4.2	4.7	5.3	5.8	6.4	6.9	7.4	8.0	8.5	9.1	9.6	10.2	10.7
	30	0.3	1.2	1.9	2.6	3.3	4.1	4.8	5.5	6.2	6.9	7.6	8.4	9.1	9.8	10.5	11.2	11.9	12.7	13.7	14.1
	36	0.4	1.5	2.4	3.3	4.2	5.1	6.0	6.9	7.8	8.8	9.7	10.6	11.5	12.4	13.3	14.2	15.1	16.0	16.9	17.8
	42	0.4	1.8	2.9	4.0	5.0	6.1	7.2	8.3	9.3	10.4	11.5	12.6	13.7	14.7	15.8	16.9	18.0	19.0	20.0	21.2
(se	48	0.5	2.1	3.4	4.6	5.9	7.2	8.4	9.7	11.0	12.2	13.5	14.8	16.0	17.3	18.6	19.8	21.1	22.4	23.6	24.9
Height (Inches)	54	0.6	2.4	3.8	5.3	6.7	8.2	9.6	11.0	12.5	13.9	15.3	16.8	18.2	19.7	21.1	22.5	24.0	25.4	26.9	28.3
힐	60	0.7	2.7	4.3	6.0	7.6	9.2	10.9	12.5	14.1	15.7	17.4	19.0	20.6	22.2	23.9	25.5	27.1	28.8	30.4	32.0
leig	66	0.7	3.0	4.8	6.6	8.4	10.2	12.0	13.8	15.6	17.4	19.2	21.0	22.8	24.6	26.4	28.2	30.0	31.8	33.6	35.4
∸ [72	0.8	3.3	5.3	7.3	9.3	11.3	13.6	15.2	17.2	19.2	21.2	23.2	25.2	27.2	29.2	31.2	33.1	35.1	37.1	39.1
	78	0.9	3.6	5.8	7.9	10.1	12.2	14.4	16.6	18.7	20.9	23.0	25.2	27.4	29.5	31.7	33.9	36.0	38.2	40.3	42.5
	84	1.0	3.9	6.3	8.6	11.0	13.3	15.7	18.0	20.4	22.7	25.1	27.4	29.8	32.1	34.5	36.8	39.2	41.5	43.9	46.2
ı	90	1.1	4.2	6.7	9.2	11.8	14.3	16.8	19.3	21.9	24.4	26.9	29.4	31.9	34.5	37.0	39.5	42.0	44.6	47.1	49.6
	96	1.1	4.5	7.2	9.9	12.6	15.4	18.1	20.8	23.5	26.2	28.9	31.6	34.3	37.0	39.8	42.5	45.2	47.9	50.6	53.3
	102	1.2	4.8	7.7	10.6	13.5	16.3	19.2	22.1	25.0	27.9	30.8	33.6	36.5	39.4	42.3	45.2	48.0	50.9	53.8	56.7
	108	1.3	5.1	8.2	11.3	14.3	17.4	20.5	23.5	26.6	29.7	32.8	35.8	38.9	42.0	45.0	48.1	51.2	54.3	57.3	60.4
	114	1.4	5.4	8.7	11.9	15.1	18.4	21.6	24.9	28.1	31.4	34.6	37.8	41.1	44.3	47.6	50.8	54.1	57.3	60.6	63.8
	120	1.4	5.7	9.2	12.6	16.0	19.5	22.9	26.3	29.7	33.2	36.6	40.0	43.5	46.9	50.3	53.8	57.2	60.6	64.1	67.5



Certified Ratings:

Pottorff certifies that the model EFD-635 shown herein is licensed to bear the AMCA seal. The ratings shown are based on test and procedures performed in accordance with AMCA Publication 511 and comply with the requirements of the AMCA Certified Ratings Program. The AMCA Certified Ratings seal applies to air performance and water penetration ratings.

Pressure Loss



 $\label{eq:Louver Test Size = 48" x 48" (1219 x 1219)}$ Pressure loss tested in accordance with Figure 5.5 of AMCA Standard 500-L.

Water Penetration

AMCA defines the beginning point of water penetration as the free area velocity at the intersection of a simple linear regression of test data and the line of 0.01 ounces of water per square foot of free area and is measured through a 48" \times 48" louver during a 15 minute period. The AMCA water penetration test provides a method for comparing louver models and designs as to their efficiency in resisting the penetration of rainfall under specific lab conditions. Pottorff recommends that intake louvers are selected with a reasonable margin of safety below the beginning point of water penetration in order to avoid unwanted penetration during severe storm conditions.

Selection Criteria

Follow the steps listed below to calculate the louver size needed to satisfy the required air volume while minimizing the adverse effects of water penetration and pressure loss.

- 1. Determine the Free Area Velocity (FAV) at the maximum allowable pressure loss using the *Pressure Loss* chart to the left. While job conditions vary, typically, the maximum allowable pressure loss should not exceed 0.15 in.wg., and the FAV for 0.15 in.wg. pressure loss is listed on the front page of this sheet.
- 2. <u>Intake Applications</u> If the FAV at the Beginning Point of Water Penetration (shown below) is less than the FAV from step 1, then use the FAV at the Beginning Point of Water Penetration in step 3, otherwise use the FAV from step 1.


Exhaust Applications Use the FAV from step 1 in step 3.

3. Calculate the total louver square footage required using the following equation.

4. Using the *Free Area* chart above, select a louver width and height that yields a free area ft² greater than or equal to the required louver size calculated in step 3.

Water Penetration

Beginning Point of Water Penetration = 1250 fpm



NOTE: Dimensions in parentheses () are millimeters.

Information is subject to change without notice or obligation.