

## **AJR Series**

Axial Impulse Jet Fans







	Dimensions													
	Α	В	С	D	E	F	Н							
AJR 355	66.8	8.3	18.5	12.0	9.4	18.3	18.1							
AJR 400	73.6	8.3	20.2	13.8	10.3	19.9	19.8							

					<sup>†</sup> Flow Rate				"Octave bands Sound Power Levels, Lw [dB]								
Item#	Model	Voltage, V, 3ph	Amperage, A	Input Power, kW	RPM	Airflow, CFM	Thrust, N	Thrust/ Fan input Power, N/kW	63	125	250	500	1000	2000	4000	8000	"Total Sound dB(A), L <sub>p</sub> A @ 10ft
95917	AJR 355 230V 460V	230V	5.4	1.51 3500	4587	34.8	23.1	86	89	107	85	80	84	81	76	81	
95930		460V	2.7	1.51	1.51	4307	54.0	23.1	00	00 05	107	03	50	04	01	70	01
95919	AJR 400 230	230V	7.7	1.79 3500	6085	51.5	28.8	85	87	104	83	81	85	81	77	79	
95931	AJN 400	460V	3.9	1.79	1.75 3500	0003	31.3	20.0	63	0/	104	03	01	63	01	11	79

<sup>&</sup>lt;sup>1</sup> The AMCA Certified Ratings Seal applies to airflow rate at free delivery only. Speed (RPM) shown is nominal. Performance is based on actual speed of test.

## Certifications:





Systemair Mfg, Inc. certifies that the AIR series shown herein is licensed to bear the AMCA seal. The ratings shown are based on tests and procedures performed in accordance with AMCA Publication 211 and AMCA Publication 311 and comply with the requirements of the AMCA Certified Ratings Program.

<sup>&</sup>quot;Values shown are for total sound power levels (Lw) for Installation Type A: free inlet, free outlet.

The Sound power level ratings shown are in decibels, referred to 10<sup>32</sup> watts, calculated per AMCA Standard 301.

"The sound pressure values (LpA) shown are based on a hemispherical free field at 3.0 m (10 ft). dB(A) levels are not licensed by AMCA international.