HUMIDIN





A.C. Humidin Air Systems certifies that the model ACAP-12-1300 (V) shown herein is licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA Publication 211 and AMCA Publication 311 and comply with the requirements of the AMCA Certified Ratings Program.








BS 7346: Part 2: 1990 on Axial, Smoke and Heat Exhaust Far Exova (UK) Ltd 1st Indian Fire Rated Certified Company,



HUMIDIN



Air Volume [m3/h]

^{*} Performance certified is for installation type A - Free inlet, Free outlet. Performance ratings do not include the effects of appurtenances (accessories).

^{*} The A-weighted sound ratings shown have been calculated per AMCA International Standard 301.

^{*} Values shown are for outtet LwoA sound power levels for installation type A: Free inlet. Free outlet



The intention of this brochure is to introduce you to, and acquaint you with the capabilities of the HUMIDIN organization in the offered product areas. It will not answer all your immediate questions, and indeed, it will no doubt raise others. We welcome your interest in our products and shall be very pleased to provide further information.

GUARANTEE

HUMIDIN guarantees its products to be free of defects in materials and workmanship for a period of one year from the date of delivery from the factory, provided motors are properly installed with overload protector. Humidin agrees to repair or replace defective parts or part to be returned to the factory, all transportation charges prepaid. Humidin does not guarantee against abrasion, corrosion or erosion. Humidin shall not be held responsible for any charges in connection with the removal or replacement of alleged defective equipment nor for incidental consequential damages.

In accordance with our policy of continual improvement in design, we reserve the right to depart from the details given in this brochure.

A.C. HUMIDIN AIR SYSTEMS

PLOT NO: B-6, SECTOR: A-3 UPSIDC, TRONICA CITY, LONI, GHAZIABAD - 201101 U.P. INDIA PH. 0120-2696683, 2695584 FAX 0091-120-2696677 Email : info@ humidin.com